



PT-EP12: Underwater Case System Chart




Consumables for PT-EP12 Underwater Cases




• Cannot be used POL-054-2, please use POL-054 for PT-EP12.




PT-EP12 with PPO-EP02-type Port : Underwater Case System Chart



Consumables for PT-EP12 Underwater Cases




PT-EP12 with PPO-EP01-type Port : Underwater Case System Chart



OLYMPUS PEN Lite E-PL7



Underwater Case for E-PL7
PT-EP12+PPO-EP01-type
Water depth: 45 m



LCD hood
PFUD-EP12
(provided with the PT-EP12)




Body Cap
PBC-EP01
(Provided with replacement servicing)




Port Cover
PJKT-EP03



Hand strap
PST-EP01
RED



Consumables for PT-EP12 Underwater Cases



O-ring for
PT-EP12
POL-054
(provided with the PT-EP12)



Silicone grease
PSOLG-2
(5 g)



Silicone grease
PSOLG-3
(40 g)



Silica gel
SILCA-5S
(1 g x 5 pieces)



Maintenance Set
PMS-02

※2 • Automatically when the camera mode is set to UW wide mode, the zoom position moves to WIDE, and when the camera mode is set to UW macro mode, the zoom position moves to TELE.
• It is effective when the zoom switch is set to E-zoom.