



**EndoJaw** 

# **Disposable Biopsy Forceps**

Expanded Lineup Offers Clean-Cut Tissue Collection Performance




## When It Comes to Endoscopic Biopsy, Nothing Compares to Olympus

Olympus, the undisputed leader in GI endoscopes, offers an extensive range of EndoJaw biopsy forceps featuring optimum cutting capability and Olympus endoscope compatibility.

#### **Double-step blade to retrieve clean specimens**

The unique dual-thickness design of the EndoJaw's cups provides sharp cutting performance with thinner edges, while the thicker body ensures durability and reliability.



#### Smooth insertion into the endoscope channel

All EndoJaw models are equipped with a sheath design that provides optimum flexibility to maximize insertion capability into the endoscope channel — exactly what you would expect from the world's most trusted developer and manufacturer of endoscopes.

#### Minimized damage to the channel interior

Olympus' industry-leading expertise in endoscope design helps minimize potential damage that can be caused by the insertion of forceps into an endoscope channel.

#### **Stainless steel construction**

The EndoJaw's cups are made of stainless steel, for optimum precision.

#### Swing jaws make targeting easier

The EndoJaw's swing jaw mechanism facilitates the positioning of the forceps cups at biopsy sites and allows for tangential approaches.

#### Comprehensive lineup with choice of diameters

The EndoJaw is available in a wide variety of configurations including alligator jaw and needle designs, as well as a choice of diameters: 2.0 mm, 2.8 mm, 3.2 mm, and 3.7 mm.









### **Disposable Biopsy Forceps**

#### **Specifications**

#### For Upper GI

| Model     | Minimum Channel Size |                    | Feature     | Quantity | Working Length | Sheath Color |
|-----------|----------------------|--------------------|-------------|----------|----------------|--------------|
| FB-210K.A | 2.8 mm               | Alligator jaw-step | _           | - 20/box | 1550 mm        | Gray         |
| FB-220K.A |                      |                    | with needle |          |                |              |
| FB-230K.A |                      | Standard-oval      | _           |          |                |              |
| FB-240K.A |                      |                    | with needle |          |                |              |
| FB-211K.A | -<br>- 2.0 mm<br>-   | Alligator jaw-step | -           |          |                |              |
| FB-221K.A |                      |                    | with needle |          |                |              |
| FB-231K.A |                      | Standard-oval      | -           |          |                |              |
| FB-241K A |                      |                    | with needle |          |                |              |

#### For Lower GI

| Model     | Minimum Channel Size |                    | Feature     | Quantity      | Working Length | Sheath Color |
|-----------|----------------------|--------------------|-------------|---------------|----------------|--------------|
| FB-210U.A | -<br>2.8 mm          | Alligator jaw-step | _           | - 20/box      | 2300 mm        | Blue         |
| FB-220U.A |                      |                    | with needle |               |                |              |
| FB-230U.A |                      | Standard-oval      | -           |               |                |              |
| FB-240U.A |                      |                    | with needle |               |                |              |
| FB-214U   | -<br>- 3.2 mm<br>-   | Alligator jaw-step | -           | -<br>- 20/box |                |              |
| FB-224U   |                      |                    | with needle |               |                |              |
| FB-234U   |                      | Standard-oval      | -           |               |                |              |
| FB-244U   |                      |                    | with needle |               |                |              |
| FB-212U*  | -<br>- 3.7 mm        | Alligator jaw-step | -           | -<br>5/box    |                |              |
| FB-222U*  |                      |                    | with needle |               |                |              |
| FB-232U*  |                      | Standard-oval      | -           |               |                |              |
| FB-242U*  |                      |                    | with needle |               |                |              |

\*In some areas, these items are not available.

#### For Pulmonary

| Model      | Minimum Channel Size |                    | Feature     | Quantity           | Working Length | Sheath Color |
|------------|----------------------|--------------------|-------------|--------------------|----------------|--------------|
| FB-211D.A* | -<br>- 2.0 mm<br>-   | Alligator jaw-step | -           | -<br>- 20/box<br>- | 1150 mm        | Green        |
| FB-221D.A* |                      |                    | with needle |                    |                |              |
| FB-231D.A* |                      | Standard-oval      | -           |                    |                |              |
| FB-241D.A* |                      |                    | with needle |                    |                |              |

\*In some areas, these items are not available.



Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.



OLYMPUS MEDICAL SYSTEMS CORP. Shinjuku Monolith, 2-3-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 163-0914, Japan For a complete listing of sales and distribution locations visit: www.olympus.com