

Look through to be confident.





OES 4000 Hy



OES 4000




Complete line of OES 4000 stainless steel sheaths



Scratch-proof sapphire glass front window



Perfect flow characteristics



stereoscopes



Gynecology

Ultra-wide field of view

[3 mm **Standard** System]



[4 mm **Advanced** System]

The 3 mm **Standard** System provides you with the Hysteroscope of choice, an optical quality close to the 4 mm telescope, great ease of use.

For extensive therapeutic procedures in the operation room we recommend our 4 mm **Advanced** System.

The use of high value materials and a unique design secure longterm durability and Olympus superior autoclavability.

When combined with our large selection of electronic imaging equipment, the OES 4000 Hysteroscopes exemplify what Olympus stands for: The Visible Difference.

OES 4000 HYSTEROSCOPY AT A GLANCE

Standard System

3 mm Telescope

A4674A Telescope, 3 mm, 30° direction of view, wide angle, autoclavable



Delivery includes an instrument tray WA05990 and an autoclavable protection sheath.

A3293 Light guide cable, 3.5 mm, plug type



Advanced System


4 mm Telescope

A22005A Telescope, 4 mm, 30° direction of view, wide angle, autoclavable



Delivery includes an instrument tray WA05990.

A03200A Light guide cable, 3.5 mm, plug type




Sheaths

A4770 Sheath, single flow, 4 mm



A4771 Sheath*, continuous flow, 4.5 mm, 3 Fr. channel



A4772 Sheath*, continuous flow, 5.5 mm, 5 Fr. channel



A4773 Sheath*, continuous flow, 6.5 mm, 7 Fr. channel




* For sealing caps and surgical instruments (HYS+), see our catalog or contact your local representative.

**Only necessary if sheaths A4760/A4761/A47610A are used with a 12° telescope A1931A.

Sheaths and Working Inserts

A4760 Sheath, single flow, 5 mm



A4761 Sheath*, continuous flow, 5.5 mm, 3 Fr. channel



A47610A **NEW** Sheath*, continuous flow, 6.5 mm, 5 Fr. channel




A4767 Obturator**, standard, for A4760, A4761, A47610A



A4763 Sheath, 8 mm



A4766 Obturator, 8 mm, optical, for A4763



A4764 Working insert*, with ramp, 7 Fr. channel



A4765 Working insert*, Albarran, 7 Fr. channel (exclusively for flexible surgical instruments)

